ELSEVIER

Gene Structure and Expression

Vol. 1218, 1994

BBA Biochimica et Biophysica Acta

Cumulative Contents

Information for Contributors vii

Regular Papers

Structure and expression of mRNA for vitellogenin in *Bombyx mori*
K.-i. Yano, M.T. Sakurai, S. Watabe, S. Izumi and S. Tomino (Japan) 1

Pseudomonas aeruginosa PA-I lectin gene molecular analysis and expression in *Escherichia coli*
D. Avichezer, N. Gilboa-Garber, N.C. Garber and D.J. Katcoff (Israel) 11

On the binding of isolated yeast $tRNA^{Phe}$ anticodon arm to *Escherichia coli* 30S and 70S ribosomes. Guanosine-42 is important for the binding
S.A. Nekhai and E.M. Saminsky (Russian Federation) 21

Antisuppression by a mutation in *rpsM*(S13) giving a shortened ribosomal protein S13
M. Faxén, A. Walles-Granberg and L.A. Isaksson (Sweden) 27

Aphidicolin-resistant Chinese hamster ovary cells possess altered DNA polymerases of the α-family
Z. Fehér and N.C. Mishra (USA) 35

Induction of aromatase gene expression in human placental choriocarcinoma (JAR) cells by phorbol esters
J. Wang and S. Chen (USA) 48

The exon 4 poly(A) site of the human calcitonin/CGRP-I pre-mRNA is a weak site in vitro
C.C.M. Van Oers, L. Bakker and P.D. Baas (The Netherlands) 55

Structure and developmental expression of a larval cuticle protein gene of the silkworm, *Bombyx mori*
H. Nakato, K.-i. Shofuda, S. Izumi and S. Tomino (Japan) 64

Analysis of the 22 kbp long *psb*D-*psb*C gene cluster of *Euglena gracilis* chloroplast DNA: evidence for overlapping transcription units undergoing differential processing
B. Orsat, A. Spielmann, S. Marc-Martin, T. Lemberger and E. Stutz (Switzerland) 75

Short Sequence-Papers

Characterization of a chicken cDNA encoding the retinoblastoma gene product
R. Feinstein, W.K. Bolton, J.N. Quinones, G. Mosialos, S. Sif, J.L. Huff, A.J. Capobianco and T.D. Gilmore (USA) 82

Sequence of the sheep fetal β globin gene and flanking region
J. Saban and D. King (USA) 87

The genomic organization of the rat angiotensin II receptor AT_{1B}
D.-F. Guo and T. Inagami (USA) 91

Dideoxy sequencing and structural analysis of the rat insulin-like growth factor binding protein-1 gene
R. Lacson, D. Oehler, E. Yang, R. Goswami and T. Unterman (USA) 95

TUBIS, a fossilized retroposon in the tubulin gene cluster of *Trypanosoma brucei*
A. Glauser and R. Braun (Switzerland) 99

Characterization of canine pancreas kallikrein cDNA
E.R. Gauthier, C. Dumas, P. Chapdelaine, R.R. Tremblay and J.Y. Dubé (Canada) 102

Sequence analysis of the *agaB* gene encoding a new β-agarase from *Vibrio* sp. strain JT0107
Y. Sugano, T. Matsumoto and M. Noma (Japan) 105

An *Acanthamoeba* ubiquitin-fusion protein; cDNA and deduced protein sequence
K.-S. Ahn and H.R. Henney, Jr. (USA) 109

Molecular cloning of the canine CD44 antigen cDNA
K.F. Milde, R. Alejandro, D.H. Mintz and R.L. Pastori (USA) 112

Rapid Reports

Cloning of a family of cyclins from *Arabidopsis thaliana*
I.S. Day and A.S.N. Reddy (USA) 115

Expression and myristoylation of NAP-22 using a Baculovirus transfer vector system
S. Maekawa, Y. Matsuura and S. Nakamura (Japan) 119

Promoter Paper

Conserved regulatory elements in the type I DNA topoisomerase gene promoters of mouse and man
B. Baumgärtner, S. Heiland, N. Kunze, A. Richter and R. Knippers (Germany) 123

Review

Structure and function of helix-loop-helix proteins
C. Murre, G. Bain, M.A. Van Dijk, I. Engel, B.A. Furnari, M.E. Massari, J.R. Matthews, M.W. Quong, R.R. Rivera and M.H. Stuiver (USA) 129

Regular Papers

Analysis of the mechanism of glucocorticoid-mediated down regulation of the mouse α-fetoprotein gene
J.P. Rabek, D.-E. Zhang, C.A. Torres-Ramos and J. Papaconstantinou (USA) 136

Cloning and expression in *Escherichia coli* of the gene coding for phytoene synthase from the cyanobacterium *Synechocystis* sp. PCC6803
I. Martínez-Férez, B. Fernández-González, G. Sandmann and A. Vioque (Spain, Germany) 145

Cloning of a brain-type aldolase cDNA and changes in its mRNA level during oogenesis and early embryogenesis in *Xenopus laevis*
Y. Atsuchi, K. Yamana, H. Yatsuki, K. Hori, S. Ueda and K. Shiokawa (Japan) 153

Escherichia coli gpt as a positive and negative selectable marker in embryonal stem cells
K.J. Spring, J.S. Mattick and R.H. Don (Australia) 158

Expression of a heterodimeric (placental-intestinal) hybrid alkaline phosphatase in KB cells
H. Kodama, K. Asai, T. Adachi, Y. Mori, K. Hayashi, K. Hirano and T. Stigbrand (Japan, Sweden) 163

Molecular cloning of a novel putative G protein-coupled receptor from rat aortic smooth muscle. Downregulation of the mRNA level by the cyclic AMP messenger pathway
N. Ishizaka, H. Okazaki, K. Kurokawa, M. Kumada and Y. Takuwa (Japan) 173

Sequence and expression of LRR47, a novel embryonic leucine rich repeat protein of *Drosophila*
M. Ntwasa, S.G.S.C. Buchanan and N.J. Gay (UK) 181

Histone H2B (and H2A) ubiquitination allows normal histone octamer and core particle reconstitution
N. Davies and G.G. Lindsey (South Africa) 187

Expression of the glucocorticoid receptor gene is regulated during early embryogenesis of *Xenopus laevis*
X. Gao, E. Kalkhoven, J. Peterson-Maduro, B. Van der Burg and O.H.J. Destrée (Netherlands) 194

Short Sequence-Papers and Promoter Papers

Sequence analysis of the L1 metallo-β-lactamase from *Xanthomonas maltophilia*
T.R. Walsh, L. Hall, S.J. Assinder, W.W. Nichols, S.J. Cartwright, A.P. MacGowan and P.M. Bennett (UK) 199

Identification of a muscle factor related to MyoD in a fish species
P.-Y. Rescan, L. Gauvry, G. Paboeuf and B. Fauconneau (France) 202

The gene *LEO1* on yeast chromosome XV encodes a non-essential, extremely hydrophilic protein
V. Magdolen, P. Lang, G. Mages, H. Hermann and W. Bandlow (Germany) 205

Drosophila ribosomal protein L18a: cDNA sequence, expression and chromosomal localization of the gene
M. Ntwasa, S.G.S.C. Buchanan and N.J. Gay (UK) 210

Sequence analysis of 12 structural genes and a novel non-coding region from mitochondrial DNA of Atlantic cod, *Gadus morhua*
S. Johansen and T. Johansen (Norway) 213

Mitochondrial RNA editing of cytochrome *c* oxidase subunit II (*coxII*) in the primitive vascular plant *Psilotum nudum*
G.L. Sper-Whitis, A.L. Russell and J.C. Vaughn (USA) 218

Structure and sequence of mouse bone morphogenetic protein-2 gene (BMP-2): comparison of the structures and promoter regions of BMP-2 and BMP-4 genes
J.Q. Feng, M.A. Harris, N. Ghosh-Choudhury, M. Feng, G.R. Mundy and S.E. Harris (USA) 221

A novel serine proteinase-like sequence from human brain
M. Dihanich and M. Spiess (Switzerland) 225

Cloning and sequencing of the cDNA encoding human glutaredoxin
M.R. Fernando, H. Sumimoto, H. Nanri, S.-i. Kawabata, S. Iwanaga, S. Minakami, Y. Fukumaki and K. Takeshige (Japan) 229

Nucleotide sequence and expression of the rat polyubiquitin mRNA
T. Hayashi, M. Noga and M. Matsuda (Japan) 232

Evaluation of the role of Ap1-like proteins in the enhanced apolipoprotein E gene transcription accompanying phorbol ester induced macrophage differentiation
K. Basheeruddin, C. Rechtoris and T. Mazzone (USA) 235

Sequence and activity of the rat PB-inducible aldehyde dehydrogenase promoter
P.M. Shaw and M. Adesnik (USA) 242

Rapid Reports

Localized maternal and zygotic expression of the gene encoding *Drosophila* HMG D
N.D. Stroumbakis and P.P. Tolias (USA) 245

Cyclic AMP-dependent expression of the *Escherichia coli serC-aroA* operon
C.-J. Lim, W. Hwang, E.-H. Park and J.A. Fuchs (South Korea, USA) 250

Publisher's Note *v*

Review

Thyroid-specific gene expression
G. Damante and R. Di Lauro (Italy) 255

Regular Papers

Isolation of a novel RXR from *Xenopus* that most closely resembles mammalian RXRβ and is expressed throughout early development
S. Marklew, D.P. Smith, C.S. Mason and R.W. Old (UK) 267

Cloning and characterization of the SmIMP25 integral membrane protein of the parasitic helminth *Schistosoma mansoni*
A. Markovics, D. Ram, Z. Grossman, E. Ziv, F. Lantner and I. Schechter (Israel) 273

Energetic basis for structural preferences in 5/6-hydroxy-5,6-dihydropyrimidines: products of ionizing and ultraviolet radiation action on DNA bases
K. Miaskiewicz, J. Miller and R. Osman (USA) 283

The predicted amino acid sequence of human thioredoxin is identical to that of the autocrine growth factor human adult T-cell derived factor (ADF): thioredoxin mRNA is elevated in some human tumors
P.Y. Gasdaska, J.E. Oblong, I.A. Cotgreave and G. Powis (USA) 292

Cloning and expression of a complementary DNA encoding the bovine receptor for pituitary adenylate cyclase-activating polypeptide (PACAP)
Y. Miyamoto, Y. Habata, T. Ohtaki, Y. Masuda, K. Ogi, H. Onda and M. Fujino (Japan) 297

Sp1, USF, and GAL4 activate transcription independently of TFIID-downstream promoter interactions
J.C. Wang and M.W. Van Dyke (USA) 308

Comparison of the sequence specificity of *cis*-diamminedichloroplatinum (II) damage in guanine- and 7-deazaguanine-containing DNA
M.J. Cairns and V. Murray (Australia) 315

DNase I footprinting of triple helix formation at polypurine tracts by acridine-linked oligopyrimidines: stringency, structural changes and interaction with minor groove binding ligands
T.J. Stonehouse and K.R. Fox (UK) 322

Mapping the initiation sites of in vitro transcripts of bacteriophage S13
M.J. Ringuette and J.H. Spencer (Canada) 331

Mapping of RNA polymerase binding sites in the H/A gene region of bacteriophage S13 by footprinting and exonuclease III analysis
M. Arquint and J.H. Spencer (Canada) 339

The leucine-zipper in elongation factor EF-1δ, a guanine-nucleotide exchange protein, is conserved in *Artemia* and *Xenopus*
R. Amons, M.-A. Guerrucci, R.H. Karssies, J. Morales, P. Cormier, W. Möller and R. Bellé (Netherlands, France) 346

Characterization of the secondary structure of an oligonucleotide corresponding to the autocleavage site of a precursor RNA from bacteriophage T4
H. Hosaka, I. Sakabe, K. Sakamoto, T. Niimi, S. Yokoyama and H. Takaku (Japan) 351

Characterisation of six additional human metallothionein genes
F.A. Stennard, A.F. Holloway, J. Hamilton and A.K. West (Australia) 357

Molecular characterization of ovary trehalase of the silkworm, *Bombyx mori* and its transcriptional activation by diapause hormone
Z.-H. Su, M. Ikeda, Y. Sato, H. Saito, K. Imai, M. Isobe and O. Yamashita (Japan) 366

Characterization of the synthesis and expression of the GTA-kinase from transformed and normal rodent cells
M. Kerr, J.E. Fischer, K.R. Purushotham, D. Gao, Y. Nakagawa, N. Maeda, V. Ghanta, R. Hiramato, N. Chegini and M.G. Humphreys-Beher (USA, Japan) 375

Presence and role of the 5SrRNA-L5 protein complex (5SRNP) in the threonyl- and histidyl-tRNA synthetase complex in rat liver cytosol
K. Ogata, A. Kurahashi, C. Nishiyama and K. Terao (Japan) 388

Isolation and characterization of two alternatively spliced complementary DNAs encoding a *Xenopus laevis* angiotensin II receptor
S.-i. Nishimatsu, N. Koyasu, T. Sugaya, J. Ohnishi, T. Yamagishi, K. Murakami and H. Miyazaki (Japan) 401

Short Sequence-Papers

Tandem lignin peroxidase genes of the fungus *Trametes versicolor*
L. Jönsson and P.O. Nyman (Sweden) 408

Organization of the bovine gene encoding the endothelial nitric oxide synthase
R.C. Venema, K. Nishida, R.W. Alexander, D.G. Harrison and T.J. Murphy (USA) 413

cDNA cloning and expression of inducible nitric oxide synthase from rat vascular smooth muscle cells
Y.-j. Geng, M. Almqvist and G.K. Hansson (Sweden) 421

Human ribosomal protein L37 has motifs predicting serine/threonine phosphorylation and a zinc-finger domain
G.F. Barnard, R.J. Staniunas, M. Puder, G.D. Steele, Jr. and L.B. Chen (USA) 425

Sequence and expression of a monkey testicular transcript encoding tMDC I, a novel member of the metalloproteinase-like, disintegrin-like, cysteine-rich (MDC) protein family
H.L. Barker, A.C.F. Perry, R. Jones and L. Hall (UK) 429

Gene structure and amino acid sequences of alcohol dehydrogenases of *Bacillus stearothermophilus*
G.A. Robinson, C.J. Bailey and B.C.A. Dowds (Ireland) 432

Primary structure and expression of a gene encoding the cytosolic ribosomal protein S4 from potato
H.-P. Braun, M. Emmermann, H. Mentzel and U.K. Schmitz (Germany) 435

Isolation and characterization of the tandemly repeated U6 genes from the sea urchin *Strongylocentrotus purpuratus*
S.A. Sakallah, D.R. Norton, W. Zhang and W.F. Marzluff (USA) 439

Nucleotide sequence of the *flgD* gene of *Salmonella typhimurium* which is essential for flagellar hook formation
K. Kutsukake and H. Doi (Japan) 443

A cDNA for adenylyl sulphate (APS)-kinase from *Arabidopsis thaliana*
H.E. Arz, G. Gisselmann, S. Schiffmann and J.D. Schwenn (Germany) 447

Cloning and analysis of chicken acetylcholinesterase transcripts from muscle and brain
W.R. Randall, M. Rimer and N.R. Gough (USA) 453

Nucleotide sequence of the polyhedrin gene of *Spodoptera littoralis* multiple nucleocapsid nuclear polyhedrosis virus
L. Croizier and G. Croizier (France) 457

Mosquito ribosomal protein rpL31 resembles rat rpL34: cDNA and deduced amino acid sequence
Q. Lan, L.L. Niu and A.M. Fallon (USA) 460

Sequence and structure of the RNA subunit of RNase P from the cyanobacterium *Pseudoanabaena* sp. PCC6903
A. Pascual and A. Vioque (Spain) 463

Nucleotide sequence encoding human pancreatic ribonuclease
M. Seno, J.-i. Futami, M. Kosaka, S. Seno and H. Yamada (Japan) 466

Molecular cloning and nucleotide sequence of the complementary DNA for penicillolysin gene, *plnC*, an 18 kDa metalloendopeptidase gene from *Penicillium citrinum*
K. Matsumoto, M. Yamaguchi and E. Ichishima (Japan) 469

The 3′ region of c-*src* gene mRNA is entirely included in exon 12 and does not encode another protein
B.A. Yatsula, A.A. Michailik, A.V. Rynditch, G. Calothy and P. Dézelée (France, Ukraine) 473

Identification and cloning of human chaperonin 10 homologue
N. Monzini, G. Legname, F. Marcucci, G. Gromo and D. Modena (Italy) 478

Rapid Report

tRNA regions which contact with the ribosomal poly(U)-programmed P-site
S.A. Nekhai, D.V. Parfenov and E.M. Saminsky (Russia) 481

Cumulative Contents, Vol. 1218 485

Author Index 489